

# products catalogue

**ALM** ARCHITECTURAL LIGHTING INC.





<b>ceiling</b>	<b>7</b>
bade.....	8
tube.....	10
visage.....	12
prato.....	14
ciro.....	16
star.....	18
omnia.....	20
aeron.....	22
pilot.....	24
puck.....	26
fuse 120.....	28
fuse 100.....	30



<b>recessed</b>	<b>33</b>
plate flush TR.....	34
plate flush FL.....	36
plate round.....	38
plate square.....	40
float.....	42
float square.....	44
lightplanes.....	46



<b>pendant</b>	<b>49</b>
aeron.....	50
pilot.....	52
puck.....	54
aura.....	56
step.....	58
step RC.....	60
plume.....	62
fuse 120.....	64
fuse 100.....	66
white.....	68
lightplanes.....	70
ring D.....	72
ring UD.....	74
lightbar EE.....	76
lightbar TE.....	78
wing AR.....	80



<b>surface</b>	<b>83</b>
aura.....	84
step.....	86
step RC.....	88
lightplanes.....	90
lightbar EE.....	92
lightbar TE.....	94
base NF.....	96
base WF.....	98
class NF.....	100
class WF.....	102
wing AR.....	104
glaze NF.....	106
glaze WF.....	108
bay NF.....	110
bay WF.....	112
diva.....	114



<b>wall</b>	<b>117</b>
pilot.....	118
step RC.....	120
plume.....	122
fuse 120.....	124
fuse 100.....	126
fuse 100 double head.....	128
any.....	130
sigma.....	132
base WR.....	134
wing.....	136
city.....	138



<b>clearline</b>	<b>141</b>
clearline.....	142
clearline ceiling.....	144
clearline pendant.....	146
clearline wall sconce.....	150
custom clearline ring.....	152
custom clearline flight.....	154



<b>outdoor</b>	<b>157</b>
vertigo.....	158
vertigo ss.....	160
slight.....	162
due.....	164
luna.....	166



<b>custom works</b>	<b>169</b>
pagoda.....	170
rings.....	172
rings.....	174

Our passion  
is to design,  
engineer and  
manufacture  
lighting  
statements  
through our  
product.

**design** Since our foundation in 1998, ALM's mission is to be a leader in decorative and architectural light manufacturing. We are not limited to the manufacturing of high quality light fixtures; we understand light and endeavor to improve the integration between light and architecture.

**engineer** ALM Architectural Lighting is a manufacturer of innovative, high-quality lighting. With both a standard fixture series and custom design, we offer an unlimited choice of designs, materials, finishes and lighting options. If you don't find what you're looking for in our standard line, we will work with you to develop specific designs and custom-made solutions.

**manufacture** Our standard series of fixtures offer clients economical and high quality design options. Choosing from this line ensures a quick turnaround for your project. Our standard line will continue to expand as we strive to bring our clients new designs and the latest technology in materials and light sources. In addition, with the wide variety of detailing options we offer, there is a standard fixture to meet most of your lighting needs.



ceiling

# baade

Decorative downlight fixture with clean design and extruded aluminum construction.

\* Please specify 120 or 277 Volt

**Finish**  
Painted Anodized Aluminum


**Optional finish**  
Painted White  
Painted Custom Color

**Lamping**

**1220.C03NA19**  
1 x 26 Watt / GX24q-3

**1220.C04NA19**  
1 x 32 Watt / GX24q-3

\* Consult the factory for LED lamping options.



# tube

Sleek and clean are words that describe the Tube. Its contribution as a design element can offer many statements. All visible elements are solid stainless steel construction.

\* 120 Volt Only


**Finish**  
Satin Stainless Steel

**Optional finish**  
Painted Custom Color

**Lamping**

**1240.C90NA10**  
1 x 20 Watt PAR20, MH / Med. Base

\* Consult the factory for LED lamping options.





\* Consult the factory for other lamping, sizes, dimming and custom modifications.



# visage

Ceiling fixture with satin white opal acrylic diffuser and decorative (4) way vertical bars.



**Finish**  
Painted White

**Optional finish**  
Painted Anodized Aluminum  
Painted Custom Color


**Diffuser:**  
Satin White Opal Acrylic

**Lamping**

**1250.C03SW21**  
1 x 26 Watt / GX24q-3

**1250.C04SW21**  
1 x 32 Watt / GX24q-3

*\* Consult the factory for LED lamping options.*



# prato




The cylindrical shaped fixture is specially designed for ceiling installation.

\* Consult the factory for other lamping, sizes and custom modifications.  
\* 120 Volt Only

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color


**Lamping**  
  
**1260.C74NA19**  
1 x 75 Watt PAR30 / Med. Base  
  
**1260.C76NA19**  
1 x 18 Watt PAR30 LED / Med.Base





# ciro

Ciro's square shape gives essential elements to architectural areas.



\* Consult the factory for other lamping, sizes and custom modifications.  
\* 120 Volt Only

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Lamping**  
**1280.C73NA19**  
1 x 50 Watt PAR20 / Med. Base  
**1280.C75NA19**  
1 x 8 Watt PAR20 LED / Med. Base

\* Consult the factory for LED lamping options.





# star

Cylindrical ceiling light fixture with external Clear Glass and internal Satin Glass diffuser. The fixture emits indirect symmetrical light creating a comfortable mood and a soft, decorative luminance-balancing effect.

\* Wet Location  
\* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum


**Diffuser:**  
Clear Glass

**Lamping**

**1320.C95GG16**  
1 x 39 Watt T4, MH / G8.5




**1320.C89GG16**  
1 x 20 Watt T4, MH / G8.5

*\* Consult the factory for LED lamping options.*



# omnia

Emits soft, diffused, direct and indirect light. Creates suitable illumination for hallways and stairs.



\* Consult the factory for other lamping, sizes, dimming and custom modifications.

\* Please specify 120 or 277 Volt

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Diffuser:**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

**Lamping**

**OMNIA - 18"**  
**1350.C33SW19-18**  
1 x 22 Watt / 2GX13

**1350.C34SW19-18**  
1 x 40 Watt / 2GX13

**1350.C35SW19-18**  
1 x 55 Watt / 2GX13

**1350.C36SW19-18**  
1 x 22 + 40 Watt / 2GX13

**OMNIA - 22"**  
**1350.C33SW19-22**  
1 x 22 Watt / 2GX13

**1350.C34SW19-22**  
1 x 40 Watt / 2GX13

**1350.C35SW19-22**  
1 x 55 Watt / 2GX13

**1350.C36SW19-22**  
1 x 22 + 40 Watt / 2GX13

\* Consult the factory for LED lamping options.





\* Please specify 120 or 277 Volt

**Diffuser**  
Clear Satin Glass

**Finish**  
Satin Nickel

**Optional finish**  
Painted White  
Painted Custom Color

**Lamping**

**1400.C03SG12**  
1 x 26 Watt / GX24q-3

**1400.C04SG12**  
1 x 32 Watt / GX24q-3

**1400.C05SG12**  
1 x 42 Watt / GX24q-4

**1400.C96SG12**  
1 x 50 Watt ED17, MH / Med. Base

**1400.C97SG12**  
1 x 70 Watt ED17, MH / Med. Base

**1400.C98SG12**  
1 x 100 Watt ED17, MH / Med. Base

**1400.C84SG12**  
1 x 100 Watt BT15 / Med. Base


**1400.C85SG12**  
1 x 100 Watt T10 / Med. Base

\* Consult the factory for LED lamping options.



# aeron

Aeron offers numerous standard and customizable options to make the most of your architectural space. Available with Fluorescent, Halogen and Metal Halide lamping.




\* Available in pendant mount. See section Pendant.





# pilot

Made with frosted ribbed diffuser mounted in nickel or stainless steel metal enclosure. Fixture provides downlight distribution.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser:**  
Clear - Satin Inside Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

**1480.C33CS10**  
1 x 22 Watt / 2GX13

**1480.C032CS10**  
2 x 26 Watt / GX24q-3

**1480.C29CS10**  
1 x 24 Watt / 2G10

\* Consult the factory for LED lamping options.




\* Available in pendant and wall mount. See section Pendant and Wall.



# puck

Puck is also used in various applications establishing itself as a stylish decorative product and technical architectural instrument. Direct or indirect/direct lighting options. Different selection of top diffuser will give a variety of different lighting.



\* Available in pendant mount. See section Pendant.

\* Please specify 120 or 277 Volt

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Bottom Diffuser:**  
Satin White Opal Acrylic

**Optional Diffuser:**  
Clear Satin Acrylic

**Top Diffuser:**  
01-40% Translucent  
02-20% Translucent  
03-Opaque  
04-Clear Satin Acrylic  
*\* Please specify!*

**Lamping**

**PUCK - 22"**  
**1500.C33SW19-22-01**  
1 x 22 Watt / 2GX13

**1500.C34SW19-22-01**  
1 x 40 Watt / 2GX13

**1500.C35SW19-22-01**  
1 x 55 Watt / 2GX13

**1500.C36SW19-22-01**  
1 x 22 + 40 Watt / 2GX13

**PUCK - 24"**  
**1500.C33SW19-24-01**  
1 x 22 Watt / 2GX13

**1500.C34SW19-24-01**  
1 x 40 Watt / 2GX13

**1500.C35SW19-24-01**  
1 x 55 Watt / 2GX13

**1500.C36SW19-24-01**  
1 x 22 + 40 Watt / 2GX13

**PUCK - 28"**  
**1500.C173SW19-28-01**  
3 x 24 Watt / 2G11

**1500.C193SW19-28-01**  
3 x 36 Watt / 2G11

*\* Consult the factory for LED lamping options.*



# fuse 120

Fuse is a result of the classic lines combined with design, featuring the quality of partially sandblasted glass diffuser. Evenly illuminated shade surface provides 360 degrees of light.

**Finish**  
Satin Nickel

**Diffuser**  
Clear / Satin Glass


**Optional diffuser**  
White Opal Acrylic  
White Opal Glass

**Lamping**


**1570.C02CG12**  
1 x 18 Watt / GX24q-2

**1570.C03CG12**  
1 x 26 Watt / GX24q-3

*\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.*



\* Available in wall and pendant mount. See section Wall and Pendant.





**Finish**  
Satin Nickel

**Diffuser**  
Clear / Satin Glass


**Optional diffuser**  
White Opal Acrylic  
White Opal Glass

**Lamping**

**1571.C02CG12**  
1 x 18 Watt / GX24q-2

**1571.C03CG12**  
1 x 26 Watt / GX24q-3

*\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.*



\* Available in wall and pendant mount. See section Wall and Pendant.

# fuse 100

Cylindrical ceiling fixture with machined diffuser support cylinder and decorative details. Evenly illuminated shade surface provides 360 degrees of light.






recessed

# plate FLUSH TR

Flangeless & Flanged



\* Consult the factory for other lamping, sizes and custom modifications.  
\* Please specify 120 or 277 Volt

**Trim Ring Finish**  
Painted White

**Optional finish**  
Painted Anodized Aluminum  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Lamping**

**PLATE FLUSH TR - 14.8"**  
**1360.R36SW21-14.8**  
1 x 22 + 40 Watt / 2GX13

**1360.R34SW21-14.8**  
1 x 40 Watt / 2GX13

**1360.R032SW21-14.8**  
2 x 26 Watt / GX24q-3

**PLATE FLUSH TR - 18"**  
**1360.R36SW21-18**  
1 x 22 + 40 Watt / 2GX13

**1360.R034SW21-18**  
4 x 26 Watt / GX24q-3

**1360.R174SW21-18**  
4 x 24 Watt / 2G11

**PLATE FLUSH TR - 24"**  
**1360.R193SW21-24**  
3 x 36 Watt / 2G11

**1360.R194SW21-24**  
4 x 36 Watt / 2G11

**PLATE FLUSH TR - 30"**  
**1360.R194SW21-30**  
4 x 36 Watt / 2G11

**1360.R203SW21-30**  
3 x 40 Watt / 2G11

**1360.R204SW21-30**  
4 x 40 Watt / 2G11

**PLATE FLUSH TR - 36"**  
**1360.R196SW21-36**  
6 x 36 Watt / 2G11

**1360.R205SW21-36**  
5 x 40 Watt / 2G11


**1360.R206SW21-36**  
6 x 40 Watt / 2G11

\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.



# plate FLUSH FL

Flangeless & Flanged.



Simple and elegant are the outstanding features of this recessed compact fluorescent light fixture.

- \* Consult the factory for Flange option
- \* Consult the factory for other lamping, sizes and custom modifications.
- \* Please specify 120 or 277 Volt

**Diffuser**  
Satin White Opal Acrylic

**Lamping**

**PLATE FLUSH FL - 14.1"**

**1361.R36SW21-14.1**  
1 x 22 + 40 Watt / 2GX13

**1361.R34SW21-14.1**  
1 x 40 Watt / 2GX13

**1361.R032SW21-14.1**  
2 x 26 Watt / GX24q-3

**PLATE FLUSH FL - 17.3"**

**1361.R36SW21-17.3**  
1 x 22 + 40 Watt / 2GX13

**1361.R034SW21-17.3**  
4 x 26 Watt / GX24q-3

**1361.R174SW21-17.3**  
4 x 24 Watt / 2G11

**PLATE FLUSH FL - 23.3"**

**1361.R193SW21-23.3**  
3 x 36 Watt / 2G11

**1361.R194SW21-23.3**  
4 x 36 Watt / 2G11

**PLATE FLUSH FL - 29.3"**

**1361.R194SW21-29.3**  
4 x 36 Watt / 2G11

**1361.R203SW21-29.3**  
3 x 40 Watt / 2G11

**1361.R204SW21-29.3**  
4 x 40 Watt / 2G11


**PLATE FLUSH FL - 35.3"**

**1361.R196SW21-35.3**  
6 x 36 Watt / 2G11

**1361.R205SW21-35.3**  
5 x 40 Watt / 2G11


**1361.R206SW21-35.3**  
6 x 40 Watt / 2G11

- \* Consult the factory for LED lamping options.
- \* Consult the factory for dimming options.



# plate ROUND


The fluorescent lighting semi-recessed into the ceiling illuminates spaces in a non-obtrusive manner. Fixture available in plaster-in or bezel-tile options.



\* Please specify 120 or 277 Volt

**Ceiling Trim Ring Finish**  
Painted White

**Diffuser**  
Satin White Opal Acrylic



**Lamping**

**PLATE ROUND TR - 14.1"**  
**1363.R36SW21-14.1**  
1 x 22 + 40 Watt / 2GX13

**1363.R34SW21-14.1**  
1 x 40 Watt / 2GX13

**1363.R032SW21-14.1**  
2 x 26 Watt / GX24q-3

**PLATE ROUND TR - 17.3"**  
**1363.R36SW21-17.3**  
1 x 22 + 40 Watt / 2GX13

**1363.R034SW21-17.3**  
4 x 26 Watt / GX24q-3

**1363.R174SW21-17.3**  
4 x 24 Watt / 2G11

**PLATE ROUND TR - 23.3"**  
**1363.R193SW21-23.3**  
3 x 36 Watt / 2G11

**1363.R194SW21-23.3**  
4 x 36 Watt / 2G11

**PLATE ROUND TR - 29.3"**  
**1363.R194SW21-29.3**  
4 x 36 Watt / 2G11

**1363.R203SW21-29.3**  
3 x 40 Watt / 2G11

**1363.R204SW21-29.3**  
4 x 40 Watt / 2G11

**PLATE ROUND TR - 35.3"**  
**1363.R196SW21-35.3**  
6 x 36 Watt / 2G11

**1363.R205SW21-35.3**  
5 x 40 Watt / 2G11

**1363.R206SW21-35.3**  
6 x 40 Watt / 2G11

**Lamping**

**PLATE ROUND FL - 14.1"**  
**1364.R36SW21-14.1**  
1 x 22 + 40 Watt / 2GX13

**1364.R34SW21-14.1**  
1 x 40 Watt / 2GX13

**1364.R032SW21-14.1**  
2 x 26 Watt / GX24q-3

**PLATE ROUND FL - 17.3"**  
**1364.R36SW21-17.3**  
1 x 22 + 40 Watt / 2GX13

**1364.R034SW21-17.3**  
4 x 26 Watt / GX24q-3

**1364.R174SW21-17.3**  
4 x 24 Watt / 2G11

**PLATE ROUND FL - 23.3"**  
**1364.R193SW21-23.3**  
3 x 36 Watt / 2G11

**1364.R194SW21-23.3**  
4 x 36 Watt / 2G11

**PLATE ROUND FL - 29.3"**  
**1364.R194SW21-29.3**  
4 x 36 Watt / 2G11

**1364.R203SW21-29.3**  
3 x 40 Watt / 2G11

**1364.R204SW21-29.3**  
4 x 40 Watt / 2G11

**PLATE ROUND FL - 35.3"**  
**1364.R196SW21-35.3**  
6 x 36 Watt / 2G11

**1364.R205SW21-35.3**  
5 x 40 Watt / 2G11

**1364.R206SW21-35.3**  
6 x 40 Watt / 2G11



\* Consult the factory for other lamping, sizes and custom modifications.  
\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.



# plate

## SQUARE

Low profile semi-recessed downlight fixture with satin white opal acrylic diffuser extended below ceiling. Flange and Flangeless options available.



\* Please specify 120 or 277 Volt

**Decorative Plate Finish**  
Satin Stainless Steel

**When applicable, Ceiling Trim Ring Finish:**  
Painted White

**Diffuser**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic



**Lamping**

**PLATE SQUARE - FLANGE - 11.7"**  
**1365.R032SW10-11.7**  
2 x 26 Watt / GX24q-3

**PLATE SQUARE - FLANGE - 14.7"**  
**1365.R33SW10-14.7**  
1 x 22 Watt / 2GX13

**Lamping**

**PLATE SQUARE - FLANGELESS - 11.7"**  
**1366.R032SW10-11.7**  
2 x 26 Watt / GX24q-3

**PLATE SQUARE - FLANGELESS - 14.7"**  
**1366.R33SW10-14.7**  
1 x 22 Watt / 2GX13

*\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.*





# float

Low profile recessed downlight with metal trim ring and floating tempered glass diffuser panel provides direct and diffused light.

\* Please specify 120 or 277 Volt

**Finish**

Satin Stainless Steel



**Optional finish**

Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**

Clear / Satin Glass



**Optional diffuser**

Satin White Opal Acrylic

**Lamping**

**FLOAT - 24.3"**  
**1380.R40CG10-24.3**  
1 x 14 Watt / G5

**1380.R41CG10-24.3**  
1 x 24 Watt HO / G5

**FLOAT - 36.1"**  
**1380.R42CG10-36.1**  
1 x 21 Watt / G5

**1380.R43CG10-36.1**  
1 x 39 Watt HO / G5


**FLOAT - 48"**  
**1380.R44CG10-48**  
1 x 28 Watt / G5

**1380.R45CG10-48**  
1 x 54 Watt HO / G5

**FLOAT - 59.7"**  
**1380.R46CG10-59.7**  
1 x 35 Watt / G5

**1380.R47CG10-59.7**  
1 x 80 Watt HO / G5

\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.



# float

## SQUARE

Low profile recessed downlight with metal trim ring and floating diffuser panel provides direct and diffused light.

\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Clear / Satin Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

**FLOAT SQUARE - 13.4"**  
**1381.R33CG10-13.4**  
1 x 22 Watt / 2GX13


**1381.R032CG10-13.4**  
2 x 26 Watt / GX24q-3

**FLOAT SQUARE - 16.4"**  
**1381.R36CG10-16.4**  
1 x 22 + 40 Watt / 2GX13

**1381.R34CG10-16.4**  
1 x 40 Watt / 2GX13



**1381.R35CG10-16.4**  
1 x 55 Watt / 2GX13

\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.



# lightplanes

The clean choice for large architectural spaces. Elegant design and simple technical details are the design principles of the Lightplanes lighting system. Extruded aluminum construction and translucent diffuser.



\* Available in pendant and surface mount.  
See section Pendant and Surface

**Finish**  
Painted White

**Diffuser**  
Barrisol – Venus White

**Lamping**


**LIGHTPLANES – 49"x31"**  
**1680.R445BR21-49x31**  
5 x 28 Watt / G5

**1680.R455BR21-49x31**  
5 x 54 Watt HO / G5

**LIGHTPLANES – 49"x49"**  
**1680.R448BR21-49x49**  
8 x 28 Watt / G5

**1680.R458BR21-49x49**  
8 x 54 Watt HO / G5

\* Consult the factory for other lamping,  
sizes, dimming and custom modifications.





pendant



\* Cable or stem suspensions available.  
 \* Please specify 120 or 277 Volt

**Diffuser**  
 Clear Satin Glass

**Finish**  
 Satin Nickel

**Optional finish**  
 Painted White  
 Painted Custom Color

**Lamping**

**1400.P03SG12**  
 1 x 26 Watt / GX24q-3

**1400.P04SG12**  
 1 x 32 Watt / GX24q-3

**1400.P05SG12**  
 1 x 42 Watt / GX24q-4

**1400.P96SG12**  
 1 x 50 Watt ED17, MH / Med. Base

**1400.P97SG12**  
 1 x 70 Watt ED17, MH / Med. Base

**1400.P98SG12**  
 1 x 100 Watt ED17, MH / Med. Base

**1400.P84SG12**  
 1 x 100 Watt BT15 / Med. Base


**1400.P85SG12**  
 1 x 100 Watt T10 / Med. Base

\* Consult the factory for LED lamping options.



# aeron

Aeron offers numerous standard and customizable options to make the most of your architectural space. Standard finishes include brushed nickel or white paint, with the option of custom paint. Available with Fluorescent, Halogen and Metal Halide lamping.




\* Available in ceiling mount. See section Ceiling.





# pilot

Made with frosted ribbed diffuser mounted in nickel or stainless steel metal enclosure. Fixture provides downlight distribution.



\* Available in wall and ceiling mount. See section Wall and Ceiling.

\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Clear - Satin Inside Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

**PILOT - 28"**  
**1480.P92CS10-28**  
1 x 70 Watt / G12  
*\* Available with Clear / Sandblasted Inside Glass Only*

**1480.P032CS10-28**  
2 x 26 Watt / GX24q-3

**1480.P29CS10-28**  
1 x 24 Watt / 2G10

**PILOT - 38"**  
**1480.P92CS10-38**  
1 x 70 Watt / G12  
*\* Available with Clear / Sandblasted Inside Glass Only*

**1480.P032CS10-38**  
2 x 26 Watt / GX24q-3


**1480.P29CS10-38**  
1 x 24 Watt / 2G10

*\* Consult the factory for LED lamping options.*



# puck

Puck is suitable for individual workspace task lighting, conference rooms or larger spaces when used in multiple configurations. Direct or indirect/direct lighting options. Different selection of top diffuser will allow a variety of different lighting. Suspended via (3) field adjustable stainless steel cables, allowing for independent fixture aiming.



\* Available in ceiling mount. See section Ceiling.

\* Please specify 120 or 277 Volt

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Bottom Diffuser**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

**Top Diffuser**  
01-40% Translucent  
02-20% Translucent  
03-Opaque  
04-Clear Satin Acrylic  
*\* Please specify!*

**Lamping**

**PUCK - 22"**  
**1500.P33SW19-22-01**  
1 x 22 Watt / 2GX13

**1500.P34SW19-22-01**  
1 x 40 Watt / 2GX13

**1500.P35SW19-22-01**  
1 x 55 Watt / 2GX13

**1500.P36SW19-22-01**  
1 x 22 + 40 Watt / 2GX13

**PUCK - 24"**  
**1500.P33SW19-24-01**  
1 x 22 Watt / 2GX13

**1500.P34SW19-24-01**  
1 x 40 Watt / 2GX13

**1500.P35SW19-24-01**  
1 x 55 Watt / 2GX13

**1500.P36SW19-24-01**  
1 x 22 + 40 Watt / 2GX13

**PUCK - 28"**  
**1500.P173SW19-28-01**  
3 x 24 Watt / 2G11


**1500.P193SW19-28-01**  
3 x 36 Watt / 2G11

*\* Consult the factory for LED lamping options.*







# aura

Aura is best used as workspace task lighting, conference rooms. Direct lighting with indirect illuminated ring of light around the fixture.



Diameter
15.6" [396mm]
18.6" [472mm]
20.6" [523mm]
22.6" [574mm]
25.6" [650mm]
30" [762mm]
34" [864mm]
36" [914mm]

\* Large diameters of fixture are available. Consult the factory for sizes and lampping options.  
 \* Available in surface mount. See section Surface.

- \* Please specify 120 or 277 Volt
-  **Finish**  
Painted Anodized Aluminum
-  **Optional finish**  
Painted White  
Painted Custom Color
-  **Diffuser**  
Satin White Opal Acrylic
-  **Optional diffuser**  
Clear Satin Acrylic

## Lamping

AURA - 15.6"  
**1520.P33SW19-15.6**  
 1 x 22 Watt / 2GX13

AURA - 18.6"  
**1520.P33SW19-18.6**  
 1 x 22 Watt / 2GX13

AURA - 20.6"  
**1520.P36SW19-20.6**  
 1 x 22 + 40 Watt / 2GX13

**1520.P34SW19-20.6**  
 1 x 40 Watt / 2GX13

**1520.P35SW19-20.6**  
 1 x 55 Watt / 2GX13

AURA - 22.6"  
**1520.P36SW19-22.6**  
 1 x 22 + 40 Watt / 2GX13

**1520.P34SW19-22.6**  
 1 x 40 Watt / 2GX13

**1520.P35SW19-22.6**  
 1 x 55 Watt / 2GX13

AURA - 25.6"  
**1520.P36SW19-25.6**  
 1 x 22 + 40 Watt / 2GX13

**1520.P174SW19-25.6**  
 4 x 24 Watt / 2G11

**1520.P193SW19-25.6**  
 3 x 36 Watt / 2G11

**1520.P194SW19-25.6**  
 4 x 36 Watt / 2G11

AURA - 30"  
**1520.P194SW19-30**  
 4 x 36 Watt / 2G11

AURA - 34"  
**1520.P196SW19-34**  
 6 x 36 Watt / 2G11

**1520.P203SW19-34**  
 3 x 40 Watt / 2G11

**1520.P204SW19-34**  
 4 x 40 Watt / 2G11

AURA - 36"  
**1520.P196SW19-36**  
 6 x 36 Watt / 2G11

**1520.P203SW19-36**  
 3 x 40 Watt / 2G11

**1520.P204SW19-36**  
 4 x 40 Watt / 2G11


\* Consult the factory for LED lampping options.  
 \* Consult the factory for dimming options.





# step

The clean essential lines of the Step make it suitable for use in any modern environment. Step is available in pendant, wall and ceiling version. In various sizes and with different light sources it is suitable for individual workspace task lighting, conference rooms or larger spaces when used in multiple configurations. Clear anodized extruded aluminum construction.



Size A
12" [305mm]
16" [406mm]
18" [457mm]
20" [508mm]
22" [559mm]
24" [610mm]
26" [660mm]
30" [762mm]
36" [914mm]

\* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Diffuser:**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

\* Large sizes of fixture are available. Consult the factory for sizes and lamping options.  
\* Available in Surface mount. See section Surface.

## Lamping

**STEP - 12"**  
**1540.P29SW16-12**  
1 x 24 Watt / 2G10

**STEP - 16"**  
**1540.P33SW16-16**  
1 x 22 Watt / 2GX13

**STEP - 18"**  
**1540.P33SW16-18**  
1 x 22 Watt / 2GX13

**STEP - 20"**  
**1540.P36SW16-20**  
1 x 22 + 40 Watt / 2GX13

**1540.P34SW16-20**  
1 x 40 Watt / 2GX13

**1540.P35SW16-20**  
1 x 55 Watt / 2GX13

**STEP - 22"**  
**1540.P36SW16-22**  
1 x 22 + 40 Watt / 2GX13

**1540.P34SW16-22**  
1 x 40 Watt / 2GX13

**1540.P35SW16-22**  
1 x 55 Watt / 2GX13

**STEP - 24"**  
**1540.P36SW16-24**  
1 x 22 + 40 Watt / 2GX13

**1540.P34SW16-24**  
1 x 40 Watt / 2GX13

**1540.P35SW16-24**  
1 x 55 Watt / 2GX13

**1540.P193SW16-24**  
3 x 36 Watt / 2G11

**1540.P194SW16-24**  
4 x 36 Watt / 2G11

**STEP - 26"**  
**1540.S193SW16-26**  
3 x 36 Watt / 2G11

**1540.P194SW16-26**  
4 x 36 Watt / 2G11

**STEP - 30"**  
**1540.P196SW16-30**  
6 x 36 Watt / 2G11

**1540.P203SW16-30**  
3 x 40 Watt / 2G11

**1540.P204SW16-30**  
4 x 40 Watt / 2G11

**STEP - 36"**  
**1540.P206SW16-36**  
6 x 40 Watt / 2G11


\* Consult the factory for LED lamping options.  
\* Consult the factory for dimming options.





# step RC

Step RC is available in pendant and surface option. The clean essential lines of the Step RC make it suitable for use in any modern environment. Clear anodized extruded aluminum construction.



## Lamping

\* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

- STEP RC - 28"**  
**1541.P402SW16-28**  
2 x 14 Watt / G5
- 1541.P412SW16-28**  
2 x 24 Watt HO / G5
- STEP RC - 39.9"**  
**1541.P422SW16-39.9**  
2 x 21 Watt / G5
- 1541.P432SW16-39.9**  
2 x 39 Watt HO / G5
- STEP RC - 51.6"**  
**1541.P442SW16-51.6**  
2 x 28 Watt / G5
- 1541.P452SW16-51.6**  
2 x 54 Watt HO / G5
- STEP RC - 63.5"**  
**1541.P462SW16-63.5**  
2 x 35 Watt / G5
- 1541.P472SW16-63.5**  
2 x 80 Watt HO / G5



\* Large sizes of fixture are available. Consult the factory for sizes and lamping options.  
\* Available in Surface mount. See section Surface.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Nickel

**Optional finish**  
Satin Stainless Steel  
Painted Custom Color

**Diffuser**  
White Opal Acrylic

**Optional diffuser**  
White Opal Glass

**Lamping**

**PLUME - 14"**  
**1560.P02WA12-14**  
1 x 18 Watt / GX24q-2

**PLUME - 16"**  
**1560.P03WA12-16**  
1 x 26 Watt / GX24q-3

**1560.P04WA12-16**  
1 x 32 Watt / GX24q-3

**PLUME - 20"**  
**1560.P17WA12-20**  
1 x 24 Watt / 2G11


**PLUME - 26"**  
**1560.P19WA12-26**  
1 x 36 Watt / 2G11

**PLUME - 32"**  
**1560.P20WA12-32**  
1 x 40 Watt / 2G11

**1560.P21WA12-32**  
1 x 50 Watt / 2G11

**1560.P22WA12-32**  
1 x 55 Watt / 2G11

\* Consult the factory for LED lamping options.



\* Large diameters and lengths of fixture are available. Consult the factory for sizes and lamping options.  
\* Fixture can be used in multiple head configuration. Consult the factory for configuration options.  
\* Available in wall mount. See section Wall.

plume

White opal diffuser in combination with natural metal finishes offers uniform contemporary design and a distinctive look.








# fuse

## 120

Cylindrical pendant with machined diffuser support cylinder and decorative elements. Frosted area of cylindrical diffuser provides 360 degrees of illumination.



\* Fixture can be used in multiple head configuration. Consult the factory for configuration options.  
 \* Available in wall and ceiling mount. See section Wall and Ceiling.

\* Please specify 120 or 277 Volt  
 \* Optional cable suspension available – Please consult factory

**Finish**  
 Satin Nickel

**Diffuser**  
 Clear / Satin Glass

**Optional diffuser**  
 White Opal Acrylic  
 White Opal Glass

**Lamping**

**FUSE 120 - 11"x4.7"**  
**1570.P02CG12-11x4.7**  
 1 x 18 Watt / GX24q-2

**1570.P03CG12-11x4.7**  
 1 x 26 Watt / GX24q-3

**FUSE 120 - 14"x7.1"**  
**1570.P04CG12-14x7.1**  
 1 x 32 Watt / GX24q-3

**1570.P05CG12-14x7.1**  
 1 x 42 Watt / GX24q-4

\* Consult the factory for LED lamping options.  
 \* Consult the factory for dimming options.





# fuse

## 100

Fuse 100 is designed for coordinated use in many environments establishing itself as a stylish decorative product and a technical architectural instrument.

\* Please specify 120 or 277 Volt  
 \* Optional cable suspension available - Please consult factory

**Finish**  
 Satin Nickel

**Diffuser**  
 Clear / Satin Glass

**Optional diffuser**  
 White Opal Acrylic  
 White Opal Glass

**Lamping**


**FUSE 100 - 12"**  
**1571.P02CG12-12**  
 1 x 18 Watt / GX24q-2

**1571.P03CG12-12**  
 1 x 26 Watt / GX24q-3

**FUSE 100 - 16"**  
**1571.P17CG12-16**  
 1 x 24 Watt / 2G11

**FUSE 100 - 20"**  
**1571.P19CG12-20**  
 1 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.  
 \* Consult the factory for dimming options.



\* Fixture can be used in multiple head configuration. Consult the factory for configuration options.  
 \* Optional cable suspension available - Please consult factory.  
 \* Available in wall and ceiling mount. See section Wall and Ceiling.



# white



The hand-blown Triplex White Opal Glass diffuser and elegant nickel finish makes White a modern product with a refined architectural statement. It is a perfect complement to the commercial or residential environment.

\* Please specify 120 or 277 Volt.  
\* Recessed ballast housing provided – Please consult factory.

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel

**Diffuser**  
White Opal Triplex Glass

**Lamping**


**WHITE - 8"**  
**1580.P01WT10-8**  
1 x 13 Watt / GX24q-1

**WHITE - 12"**  
**1580.P02WT10-12**  
1 x 18 Watt / GX24q-2


**1580.P03WT10-12**  
1 x 26 Watt / GX24q-3

**WHITE - 19.7"**  
**1580.P19WT10-19.7**  
1 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.







\* Fixture can be used in multiple head configuration. Consult the factory for configuration options.





# lightplanes

The clean choice for large architectural spaces. Extruded aluminum body and translucent diffuser. A clear, elegant design and simple technical details are the design principles of the Lightplanes lighting system.



#### **Finish** Painted White

 **Optional finish**  
Painted Anodized Aluminum

 **Diffuser**  
Barrisol – Venus White

#### **Lamping**

**LIGHTPLANES – 49”x31”**  
**1680.P445BR21-49x31**  
5 x 28 Watt / G5

**1680.P455BR21-49x31**  
5 x 54 Watt HO / G5

**LIGHTPLANES – 49”x49”**  
**1680.P448BR21-49x49**  
8 x 28 Watt / G5

**1680.P458BR21-49x49**  
8 x 54 Watt HO / G5

\* Consult the factory for other lamping, sizes, dimming and custom modifications.



\* Available in recessed and surface mount. See section Recessed and Surface.





\* Please specify 120 or 277 Volt.  
 \* Recessed driver housing provided – Please consult factory

**Finish**  
 Painted Anodized Aluminum

**Optional finish**  
 Painted White  
 Painted Custom Color

**Bottom Diffuser**  
 Satin White Opal Acrylic

**Optional diffuser**  
 Clear Satin Acrylic

**Lamping**

**RING D - 20"**  
**1691.PLED24SW19-20**  
 Down - 24 Watt / 2,370 lm - Low Power

**1691.PLED48SW19-20**  
 Down - 48 Watt / 4,740 lm - High Power

**RING D - 24"**  
**1691.PLED30SW19-24**  
 Down - 30 Watt / 2,960 lm - Low Power

**1691.PLED60SW19-24**  
 Down - 60 Watt / 5,920 lm - High Power

**RING D - 30"**  
**1691.PLED40SW19-30**  
 Down - 40 Watt / 3,850 lm - Low Power

**1691.PLED80SW19-30**  
 Down - 80 Watt / 7,700 lm - High Power


**RING D - 36"**  
**1691.PLED48SW19-36**  
 Down - 48 Watt / 4,740 lm - Low Power

**1691.PLED96SW19-36**  
 Down - 96 Watt / 9,480 lm - High Power



# ring D

The quality of the manufacturing details gives the fixture a refined architectural statement. Suspended via (4) field adjustable stainless steel cables, allowing for independent fixture aiming.





# ring UD

The clean essential lines of the Ring make it suitable for use in any modern environment. Direct or indirect/direct lighting options. Suspended via (4) field adjustable stainless steel cables, allowing for independent fixture aiming.

\* Please specify 120 or 277 Volt.  
 \* Recessed driver housing provided – Please consult factory

**Finish**  
 Painted Anodized Aluminum

**Optional finish**  
 Painted White  
 Painted Custom Color

**Bottom Diffuser**  
 Satin White Opal Acrylic

**Optional diffuser**  
 Clear Satin Acrylic

**Lamping**

**RING UD - 20"**  
**1692.PLED24SW19-20**  
 Up - 24 Watt / 2,370 lm / Down - 24 Watt / 2,370 lm - Low Power

**1692.PLED48SW19-20**  
 Up - 48 Watt / 4,740 lm / Down - 48 Watt / 4,740 lm - High Power

**RING UD - 24"**  
**1692.PLED30SW19-24**  
 Up - 30 Watt / 2,960 lm / Down - 30 Watt / 2,960 lm - Low Power


**1692.PLED60SW19-24**  
 Up - 60 Watt / 5,920 lm / Down - 60 Watt / 5,920 lm - High Power

**RING UD - 30"**  
**1692.PLED40SW19-30**  
 Up - 40 Watt / 3,850 lm / Down - 40 Watt / 3,850 lm - Low Power

**1692.PLED80SW19-30**  
 Up - 80 Watt / 7,700 lm / Down - 80 Watt / 7,700 lm - High Power

**RING UD - 36"**  
**1692.PLED48SW19-36**  
 Up - 48 Watt / 4,740 lm / Down - 48 Watt / 4,740 lm - Low Power


**1692.PLED96SW19-36**  
 Up - 96 Watt / 9,480 lm / Down - 96 Watt / 9,480 lm - High Power





A clean design and simple technical details are the design principles of the Lightbar lighting system.

# lightbar EE



\* Available in surface mount. See section Surface.



\* White opal acrylic diffuser is optional

\* The fixture is available with Extended and Truncated ends.  
\* Please consult the factory for linear row mounting configurations.

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Lamping**

**LIGHTBAR EE - 45.2"**  
**1700.P42NA19-45.2**  
1 x 21 Watt / G5

**1700.P43NA19-45.2**  
1 x 39 Watt HO / G5


**LIGHTBAR EE - 57"**  
**1700.P44NA19-57**  
1 x 28 Watt / G5

**1700.P45NA19-57**  
1 x 54 Watt HO / G5

**LIGHTBAR EE - 59"**  
**1700.P61NA19-59**  
1 x 32 Watt / G13

\* Consult the factory for LED lamping options.





\* Available in surface mount. See section Surface.

- \* The fixture is available with Extended and Truncated ends.
- \* Please consult the factory for linear row mounting configurations.
- \* White opal acrylic diffuser is optional

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Lamping**

**LIGHTBAR TE - 36.2"**  
**1701.P42NA19-36.2**  
1 x 21 Watt / G5

**1701.P43NA19-36.2**  
1 x 39 Watt HO / G5

**LIGHTBAR TE - 48"**  
**1701.P44NA19-48**  
1 x 28 Watt / G5

**1701.P45NA19-48**  
1 x 54 Watt HO / G5

**LIGHTBAR TE - 50"**  
**1701.P61NA19-50**  
1 x 32 Watt / G13

\* Consult the factory for LED lamping options.



# lightbar

## TE

A clean design and simple technical details are the design principles of the Lightbar lighting system.







**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Reflector**  
White Opal Acrylic – Standard  
*\* Consult the factory for other metal reflector options and finish.*

**Lamping**

**WING AR – 26"**  
**1821.P40NA19-26**  
1 x 14 Watt / G5

**1821.P41NA19-26**  
1 x 24 Watt HO / G5


**WING AR – 37"**  
**1821.P42NA19-37**  
1 x 21 Watt / G5

**1821.P43NA19-37**  
1 x 39 Watt HO / G5

**WING AR – 49"**  
**1821.P44NA19-49**  
1 x 28 Watt / G5

**1821.P45NA19-49**  
1 x 54 Watt HO / G5

*\* Consult the factory for LED lamping options.  
\* Consult the factory for other lamping, sizes, dimming and custom modifications.*



\* Available in surface mount. See section Surface.

# wing

## AR


Wing reflects the simple soft forms and makes an ideal solution for interior architectural structures. Pendant, Wall or Ceiling, vertically or horizontally mounted with indirect fluorescent lighting.

surface



# aura

Aura was designed and engineered to achieve visual comfort in every kind of workplace. Direct lighting with indirect illuminated ring around the fixture.



\* Large diameters of fixture are available. Consult the factory for sizes and lamping options.  
 \* Available in pendant mount. See section Pendant.

\* Please specify 120 or 277 Volt

**Finish**  
 Painted Anodized Aluminum

**Optional finish**  
 Painted White  
 Painted Custom Color

**Diffuser**  
 Satin White Opal Acrylic

**Optional diffuser**  
 Clear Satin Acrylic

## Lamping

AURA - 15.6"  
**1520.S33SW19-15.6**  
 1 x 22 Watt / 2GX13

AURA - 18.6"  
**1520.S33SW19-18.6**  
 1 x 22 Watt / 2GX13

AURA - 20.6"  
**1520.S36SW19-20.6**  
 1 x 22 + 40 Watt / 2GX13

**1520.S34SW19-20.6**  
 1 x 40 Watt / 2GX13

**1520.S35SW19-20.6**  
 1 x 55 Watt / 2GX13

AURA - 22.6"  
**1520.S36SW19-22.6**  
 1 x 22 + 40 Watt / 2GX13

**1520.S34SW19-22.6**  
 1 x 40 Watt / 2GX13

**1520.S35SW19-22.6**  
 1 x 55 Watt / 2GX13

AURA - 25.6"  
**1520.S36SW19-25.6**  
 1 x 22 + 40 Watt / 2GX13

**1520.S174SW19-25.6**  
 4 x 24 Watt / 2G11

**1520.S193SW19-25.6**  
 3 x 36 Watt / 2G11

**1520.S194SW19-25.6**  
 4 x 36 Watt / 2G11

AURA - 30"  
**1520.S194SW19-30**  
 4 x 36 Watt / 2G11

AURA - 34"  
**1520.S196SW19-34**  
 6 x 36 Watt / 2G11

**1520.S203SW19-34**  
 3 x 40 Watt / 2G11

**1520.S204SW19-34**  
 4 x 40 Watt / 2G11

AURA - 36"  
**1520.S196SW19-36**  
 6 x 36 Watt / 2G11

**1520.S203SW19-36**  
 3 x 40 Watt / 2G11

**1520.S204SW19-36**  
 4 x 40 Watt / 2G11


\* Consult the factory for LED lamping options.  
 \* Consult the factory for dimming options.





# step

In various sizes and with different light sources Step offers the necessary light requirements for workspaces, conference rooms and large areas. Clear anodized extruded aluminum construction.



\* Large sizes of fixture are available. Consult the factory for sizes and lamping options.  
 \* Available in pendant mount. See section Pendant.

\* Please specify 120 or 277 Volt

**Finish**  
 Clear Anodized Aluminum

**Optional finish**  
 Painted White  
 Painted Custom Color

**Diffuser**  
 Satin White Opal Acrylic

**Optional diffuser**  
 Clear Satin Acrylic

**Lamping**

**STEP - 12"**  
**1540.S29SW16-12**  
 1 x 24 Watt / 2G10

**STEP - 16"**  
**1540.S33SW16-16**  
 1 x 22 Watt / 2GX13

**STEP - 18"**  
**1540.S33SW16-18**  
 1 x 22 Watt / 2GX13

**STEP - 20"**  
**1540.S36SW16-20**  
 1 x 22 + 40 Watt / 2GX13

**1540.S34SW16-20**  
 1 x 40 Watt / 2GX13

**1540.S35SW16-20**  
 1 x 55 Watt / 2GX13

**STEP - 22"**  
**1540.S36SW16-22**  
 1 x 22 + 40 Watt / 2GX13

**1540.S34SW16-22**  
 1 x 40 Watt / 2GX13

**1540.S35SW16-22**  
 1 x 55 Watt / 2GX13

**STEP - 24"**  
**1540.S36SW16-24**  
 1 x 22 + 40 Watt / 2GX13

**1540.S34SW16-24**  
 1 x 40 Watt / 2GX13

**1540.S35SW16-24**  
 1 x 55 Watt / 2GX13

**1540.S193SW16-24**  
 3 x 36 Watt / 2G11

**1540.S194SW16-24**  
 4 x 36 Watt / 2G11

**STEP - 26"**  
**1540.S193SW16-26**  
 3 x 36 Watt / 2G11

**1540.S194SW16-26**  
 4 x 36 Watt / 2G11

**STEP - 30"**  
**1540.S196SW16-30**  
 6 x 36 Watt / 2G11


**1540.S203SW16-30**  
 3 x 40 Watt / 2G11

**1540.S204SW16-30**  
 4 x 40 Watt / 2G11

**STEP - 36"**  
**1540.S206SW16-36**  
 6 x 40 Watt / 2G11

\* Consult the factory for LED lamping options.  
 \* Consult the factory for dimming options.






# step

## RC

Step RC is available in pendant, wall and ceiling version. In various sizes and with different light sources it is suitable for individual workspace task lighting, conference rooms or larger spaces when used in multiple configurations. Clear anodized extruded aluminum construction.



- \* Large sizes of fixture are available. Consult the factory for sizes and lamping options.
- \* Available in pendant mount. See section Pendant.
- \* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

**Lamping**

**STEP RC - 28"**  
**1541.S402SW16-28**  
2 x 14 Watt / G5

**1541.S412SW16-28**  
2 x 24 Watt HO / G5

**STEP RC - 39.9"**  
**1541.S422SW16-39.9**  
2 x 21 Watt / G5

**1541.S432SW16-39.9**  
2 x 39 Watt HO / G5

**STEP RC - 51.6"**  
**1541.S442SW16-51.6**  
2 x 28 Watt / G5

**1541.S452SW16-51.6**  
2 x 54 Watt HO / G5

**STEP - RC - 63.5"**  
**1541.S462SW16-63.5**  
2 x 35 Watt / G5

**1541.S472SW16-63.5**  
2 x 80 Watt HO / G5

- \* Consult the factory for LED lamping options.
- \* Consult the factory for dimming options.



The clean choice for large architectural spaces. Extruded aluminum body and translucent diffuser.  
A clear, elegant design and simple technical details are the design principles of the Lightplanes lighting system.

# lightplanes

**Finish**  
Painted White

**Optional finish**  
Painted Anodized Aluminum

**Diffuser**  
Barrisol – Venus White

**Lamping**


**LIGHTPLANES – 49”x31”**  
**1680.S445BR21-49x31**  
5 x 28 Watt / G5

**1680.S455BR21-49x31**  
5 x 54 Watt HO / G5

**LIGHTPLANES – 49”x49”**  
**1680.S448BR21-49x49**  
8 x 28 Watt / G5

**1680.S458BR21-49x49**  
8 x 54 Watt HO / G5

\* Consult the factory for other lamping, sizes, dimming and custom modifications.



\* Available in recessed and pendant mount. See section Recessed and Pendant.



# lightbar EE

A clean design and simple technical details are the design principles of the Lightbar lighting system.

- \* The fixture is available with Extended and Truncated ends.
- \* Please consult the factory for linear row mounting configurations.
- \* White opal acrylic diffuser is optional

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Lamping**

**LIGHTBAR EE - 45.2"**  
**1700.S42NA19-45.2**  
1 x 21 Watt / G5


**1700.S43NA19-45.2**  
1 x 39 Watt HO / G5

**LIGHTBAR EE - 57"**  
**1700.S44NA19-57**  
1 x 28 Watt / G5

**1700.S45NA19-57**  
1 x 54 Watt HO / G5

**LIGHTBAR EE - 59"**  
**1700.S61NA19-59**  
1 x 32 Watt / G13

\* Consult the factory for LED lamping options.



\* Available in pendant mount. See section Pendant.



# lightbar TE

A clean design and simple technical details are the design principles of the Lightbar lighting system.

- \* The fixture is available with Extended and Truncated ends.
- \* Please consult the factory for linear row mounting configurations.
- \* White opal acrylic diffuser is optional

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Lamping**

**LIGHTBAR TE - 36.2"**  
**1701.S42NA19-36.2**  
1 x 21 Watt / G5


**1701.S43NA19-36.2**  
1 x 39 Watt HO / G5

**LIGHTBAR TE - 48"**  
**1701.S44NA19-48**  
1 x 28 Watt / G5

**1701.S45NA19-48**  
1 x 54 HO Watt / G5

**LIGHTBAR TE - 50"**  
**1701.S61NA19-50**  
1 x 32 Watt / G13

\* Consult the factory for LED lamping options.





\* Available in pendant mount. See section Pendant.





# base NF

Ideal illumination for architectural entrances. ADA-compliant well suited for multiple hallway or wall applications. Durable, suitable for damp or dry location.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Lamping**

**BASE NF - 12.6"**  
**1800.S33SW10-12.6**  
1 x 22 Watt / 2GX13

**BASE NF - 14.6"**  
**1800.S36SW10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1800.S34SW10-14.6**  
1 x 40 Watt / 2GX13

**1800.S35SW10-14.6**  
1 x 55 Watt / 2GX13

**BASE NF - 16.6"**  
**1800.S36SW10-16.6**  
1 x 22 + 40 Watt / 2GX13

**1800.S34SW10-16.6**  
1 x 40 Watt / 2GX13

**1800.S35SW10-16.6**  
1 x 55 Watt / 2GX13

**1800.S172SW10-16.6**  
2 x 24 Watt / 2G11

**BASE NF - 18.6"**  
**1800.S36SW10-18.6**  
1 x 22 + 40 Watt / 2GX13

**1800.S34SW10-18.6**  
1 x 40 Watt / 2GX13

**1800.S35SW10-18.6**  
1 x 55 Watt / 2GX13

**1800.S193SW10-18.6**  
3 x 36 Watt / 2G11

**1800.S194SW10-18.6**  
4 x 36 Watt / 2G11


\* Consult the factory for LED lamping options.

\* Consult the factory for other lamping, sizes, dimming and custom modifications.



# base WF

The cutting-edge technology and construction techniques are used to manufacture this geometrically simple form. Ideal illumination for architectural entrances or hallways. ADA-compliant.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Lamping**

**BASE WF - 12.6"**  
**1801.S33SW10-12.6**  
1 x 22 Watt / 2GX13

**BASE WF - 14.6"**  
**1801.S36SW10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1801.S34SW10-14.6**  
1 x 40 Watt / 2GX13

**1801.S35SW10-14.6**  
1 x 55 Watt / 2GX13

**BASE WF - 16.6"**  
**1801.S36SW10-16.6**  
1 x 22 + 40 Watt / 2GX13

**1801.S34SW10-16.6**  
1 x 40 Watt / 2GX13

**1801.S35SW10-16.6**  
1 x 55 Watt / 2GX13

**1801.S172SW10-16.6**  
2 x 24 Watt / 2G11

**BASE WF - 18.6"**  
**1801.S36SW10-18.6**  
1 x 22 + 40 Watt / 2GX13

**1801.S34SW10-18.6**  
1 x 40 Watt / 2GX13

**1801.S35SW10-18.6**  
1 x 55 Watt / 2GX13

**1801.S193SW10-18.6**  
3 x 36 Watt / 2G11



**1801.S194SW10-18.6**  
4 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.  
\* Consult the factory for other lamping, sizes, dimming and custom modifications.



# class NF

Class provides direct, soft ambient light through a Clear / Satin Glass diffuser. ADA-compliant luminaire. Well suited for multiple hallways or wall applications.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Clear / Satin Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

CLASS NF - 12.6"  
**1810.S33CG10-12.6**  
1 x 22 Watt / 2GX13

CLASS NF - 14.6"  
**1810.S36CG10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1810.S34CG10-14.6**  
1 x 40 Watt / 2GX13

**1810.S35CG10-14.6**  
1 x 55 Watt / 2GX13

CLASS NF - 16.6"  
**1810.S36CG10-16.6**  
1 x 22 + 40 Watt / 2GX13

**1810.S34CG10-16.6**  
1 x 40 Watt / 2GX13

**1810.S35CG10-16.6**  
1 x 55 Watt / 2GX13

**1810.S172CG10-16.6**  
2 x 24 Watt / 2G11

CLASS NF - 18.6"  
**1810.S36CG10-18.6**  
1 x 22 + 40 Watt / 2GX13

**1810.S34CG10-18.6**  
1 x 40 Watt / 2GX13

**1810.S35CG10-18.6**  
1 x 55 Watt / 2GX13

**1810.S193CG10-18.6**  
3 x 36 Watt / 2G11

**1810.S194CG10-18.6**  
4 x 36 Watt / 2G11


\* Consult the factory for LED lamping options.

\* Consult the factory for other lamping, sizes, dimming and custom modifications.



# class WF

Class provides direct, soft ambient light through a Clear / Satin Glass diffuser.  
 ADA-compliant luminaire. Well suited for multiple hallways or wall applications.



\* Please specify 120 or 277 Volt

**Finish**  
 Satin Stainless Steel

**Optional finish**  
 Satin Nickel  
 Painted White  
 Painted Custom Color

**Diffuser**  
 Clear / Satin Glass

**Optional diffuser**  
 Satin White Opal Acrylic

**Lamping**

**CLASS WF - 12.6"**  
**1811.S33CG10-12.6**  
 1 x 22 Watt / 2GX13

**CLASS WF - 14.6"**  
**1811.S36CG10-14.6**  
 1 x 22 + 40 Watt / 2GX13

**1811.S34CG10-14.6**  
 1 x 40 Watt / 2GX13

**1811.S35CG10-14.6**  
 1 x 55 Watt / 2GX13

**CLASS WF - 16.6"**  
**1811.S36CG10-16.6**  
 1 x 22 + 40 Watt / 2GX13

**1811.S34CG10-16.6**  
 1 x 40 Watt / 2GX13

**1811.S35CG10-16.6**  
 1 x 55 Watt / 2GX13

**1811.S172CG10-16.6**  
 2 x 24 Watt / 2G11

**CLASS WF - 18.6"**  
**1811.S36CG10-18.6**  
 1 x 22 + 40 Watt / 2GX13

**1811.S34CG10-18.6**  
 1 x 40 Watt / 2GX13


**1811.S35CG10-18.6**  
 1 x 55 Watt / 2GX13

**1811.S193CG10-18.6**  
 3 x 36 Watt / 2G11

**1811.S194CG10-18.6**  
 4 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.  
 \* Consult the factory for other lamping, sizes, dimming and custom modifications.





# wing

## AR

Wing AR reflects the simple soft forms and makes an ideal solution for interior architectural structures. Wall or Ceiling, vertically or horizontally mounted with indirect fluorescent lighting.

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Reflector**  
Satin White Opal Acrylic – Standard  
*\* Consult the factory for other metal reflector options and finish.*

**Lamping**

**WING AR – 26"**  
**1821.S40NA19-26**  
1 x 14 Watt / G5

**1821.S41NA19-26**  
1 x 24 Watt HO / G5




**WING AR – 37"**  
**1821.S42NA19-37**  
1 x 21 Watt / G5

**1821.S43NA19-37**  
1 x 39 Watt HO / G5

**WING AR – 49"**  
**1821.S44NA19-49**  
1 x 28 Watt / G5


**1821.S45NA19-49**  
1 x 54 Watt HO / G5

*\* Consult the factory for LED lamping options.  
\* Consult the factory for other lamping, sizes, dimming and custom modifications.*




\* Available in pendant mount. See section Pendant.





# glaze NF

Wall or ceiling mounted fixture. Minimal design allows harmony with many architectural spaces. ADA compliant, ideally suited for multiple uses in hallways or stair landing areas.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Lamping**

GLAZE NF - 12.6"  
**1860.S33SW10-12.6**  
1 x 22 Watt / 2GX13

GLAZE NF - 14.6"  
**1860.S36SW10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1860.S34SW10-14.6**  
1 x 40 Watt / 2GX13

**1860.S35SW10-14.6**  
1 x 55 Watt / 2GX13

GLAZE NF - 16.6"  
**1860.S36SW10-16.6**  
1 x 22 + 40 Watt / 2GX13


**1860.S34SW10-16.6**  
1 x 40 Watt / 2GX13


**1860.S35SW10-16.6**  
1 x 55 Watt / 2GX13

GLAZE NF - 18.6"  
**1860.S36SW10-18.6**  
1 x 22 + 40 Watt / 2GX13

**1860.S174SW10-18.6**  
4 x 24 Watt / 2G11


\* Consult the factory for LED lamping options.





# glaze WF

Wall or ceiling mounted fixture. Minimal design allows harmony with many architectural spaces. ADA compliant.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Lamping**

GLAZE WF - 12.6"  
**1861.S33SW10-12.6**  
1 x 22 Watt / 2GX13

GLAZE WF - 14.6"  
**1861.S36SW10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1861.S34SW10-14.6**  
1 x 40 Watt / 2GX13

**1861.S35SW10-14.6**  
1 x 55 Watt / 2GX13

GLAZE WF - 16.6"  
**1861.S36SW10-16.6**  
1 x 22 + 40 Watt / 2GX13

**1861.S34SW10-16.6**  
1 x 40 Watt / 2GX13

**1861.S35SW10-16.6**  
1 x 55 Watt / 2GX13

GLAZE WF - 18.6"  
**1861.S36SW10-18.6**  
1 x 22 + 40 Watt / 2GX13

**1861.S174SW10-18.6**  
4 x 24 Watt / 2G11

\* Consult the factory for LED lamping options.





NF

Wall or ceiling mounted fixture. Minimal design allows harmony with many architectural spaces. ADA compliant, ideally suited for multiple uses in hallways or stair landing areas.

\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Clear / Satin Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

BAY NF – 12.6”  
**1870.S33CG10-12.6**  
1 x 22 Watt / 2GX13

BAY NF – 14.6”  
**1870.S36CG10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1870.S34CG10-14.6**  
1 x 40 Watt / 2GX13

**1870.S35CG10-14.6**  
1 x 55 Watt / 2GX13

BAY NF – 16.6”  
**1870.S36CG10-16.6**  
1 x 22 + 40 Watt / 2GX13


**1870.S34CG10-16.6**  
1 x 40 Watt / 2GX13

**1870.S35CG10-16.6**  
1 x 55 Watt / 2GX13

BAY NF – 18.6”  
**1870.S36CG10-18.6**  
1 x 22 + 40 Watt / 2GX13

**1870.S174CG10-18.6**  
4 x 24 Watt / 2G11

\* Consult the factory for LED lamping options.





# bay WF



Wall or ceiling mounted fixture. Minimal design allows harmony with many architectural spaces. ADA compliant, ideally suited for multiple uses in hallways or stair landing areas.

\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color

**Diffuser**  
Clear / Satin Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

BAY WF – 12.6"  
**1871.S33CG10-12.6**  
1 x 22 Watt / 2GX13

BAY WF – 14.6"  
**1871.S36CG10-14.6**  
1 x 22 + 40 Watt / 2GX13

**1871.S34CG10-14.6**  
1 x 40 Watt / 2GX13

**1871.S35CG10-14.6**  
1 x 55 Watt / 2GX13

BAY WF – 16.6"  
**1871.S36CG10-16.6**  
1 x 22 + 40 Watt / 2GX13


**1871.S34CG10-16.6**  
1 x 40 Watt / 2GX13

**1871.S35CG10-16.6**  
1 x 55 Watt / 2GX13

BAY WF – 18.6"  
**1871.S36CG10-18.6**  
1 x 22 + 40 Watt / 2GX13


**1871.S174CG10-18.6**  
4 x 24 Watt / 2G11

\* Consult the factory for LED lamping options.



# diva

Ceiling or wall mounted fluorescent fixture. Satin white opal acrylic diffuser in combination with different finish on clean metalwork offers uniform contemporary design and a distinctive look.



\* Please specify 120 or 277 Volt

**Finish**  
Painted – Graphite Frame /  
Painted Anodized Aluminum Reflector

**Diffuser**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

**Lamping**

DIVA – 15.4”  
**1890.S33SW22-15.4**  
1 x 22 Watt / 2GX13

DIVA – 17.5”  
**1890.S36SW22-17.5**  
1 x 22 + 40 Watt / 2GX13

**1890.S34SW22-17.5**  
1 x 40 Watt / 2GX13

**1890.S35SW22-17.5**  
1 x 55 Watt / 2GX13

DIVA – 19.6”  
**1890.S36SW22-19.6**  
1 x 22 + 40 Watt / 2GX13

**1890.S34SW22-19.6**  
1 x 40 Watt / 2GX13

**1890.S35SW22-19.6**  
1 x 55 Watt / 2GX13

DIVA – 21.9”  
**1890.S36SW22-21.9**  
1 x 22 + 40 Watt / 2GX13


**1890.S34SW22-21.9**  
1 x 40 Watt / 2GX13

**1890.S35SW22-21.9**  
1 x 55 Watt / 2GX13

**1890.S193SW22-21.9**  
3 x 36 Watt / 2G11

**1890.S194SW22-21.9**  
4 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.



wall

# pilot

Made with frosted ribbed diffuser mounted in nickel or stainless steel metal enclosure. Fixture provides downlight/uplight distribution.



\* Please specify 120 or 277 Volt

**Finish**  
Satin Stainless Steel

**Optional finish**  
Satin Nickel  
Painted White  
Painted Custom Color


**Diffuser**  
Clear - Satin Inside Glass

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**  
**1480.W032CS10**  
2 x 26 Watt / GX24q-3

**1480.W29CS10**  
1 x 24 Watt / 2G10

\* Consult the factory for LED lamping options.



\* Available in pendant and ceiling mount. See section Pendant and Ceiling.



# step

## RC

In various sizes and with different light sources Step is suitable for individual workspace task lighting, conference rooms or larger spaces when used in multiple configurations. Clear anodized extruded aluminum construction.

\* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum


**Optional finish**  
Painted White  
Painted Custom Color

**Diffuser**  
Satin White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

- Lamping**
- STEP RC - 6"x12"  
**1541.W02SW16-6x12**  
1 x 18 Watt / GX24q-2
  - STEP RC - 6"x18"  
**1541.W17SW16-6x18**  
1 x 24 Watt / 2G11
  - STEP RC - 8"x24"  
**1541.W19SW16-8x24**  
1 x 36 Watt / 2G11
  - STEP RC - 8"x27"  
**1541.W40SW16-8x27**  
1 x 14 Watt / G5
  - 1541.W41SW16-8x27**  
1 x 24 Watt HO / G5

\* Consult the factory for LED lamping options.



# plume

The clean essential lines of the Plume make it suitable for use in any modern environment. White opal diffuser in combination with natural metal finish offers uniform contemporary design and a distinctive look.

\* Please specify 120 or 277 Volt

**Finish**  
Satin Nickel

**Optional finish**  
Satin Stainless Steel  
Painted Custom Color

**Diffuser**  
White Opal Acrylic

**Optional diffuser**  
White Opal Glass

**Lamping**



**PLUME - 14"**  
**1560.W02WA12-14**  
1 x 18 Watt / GX24q-2

**PLUME - 16"**  
**1560.W03WA12-16**  
1 x 26 Watt / GX24q-3

**1560.W04WA12-16**  
1 x 32 Watt / GX24q-3

**PLUME - 20"**  
**1560.W17WA12-20**  
1 x 24 Watt / 2G11

\* Consult the factory for LED lamping options.



\* Available in pendant mount. See section Pendant.

# fuse 120



Fuse is a result of the classic lines combined with design, featuring the quality of partially sandblasted glass diffuser. Cylindrical wall fixture with machined diffuser support cylinder. Frosted area of cylindrical diffuser provides 360 degrees of illumination.

**Finish**  
Satin Nickel

**Diffuser**  
Clear / Satin Glass


**Optional diffuser**  
White Opal Acrylic  
White Opal Glass

**Lamping**


**1570.W02CG12**  
1 x 18 Watt / GX24q-2

**1570.W03CG12**  
1 x 26 Watt / GX24q-3

*\* Consult the factory for LED lamping options.*



\* Available in pendant and ceiling mount. See section Pendant and Ceiling.





\* The fixture can be installed with the glass diffuser facing upwards or downwards.

**Finish**  
Satin Nickel

**Diffuser**  
Clear / Satin Glass

**Optional diffuser**  
White Opal Acrylic  
White Opal Glass

**Lamping**

**FUSE 100 - 12"**  
**1571.W02CG12-12**  
1 x 18 Watt / GX24q-2

**1571.W03CG12-12**  
1 x 26 Watt / GX24q-3


**FUSE 100 - 16"**  
**1571.W17CG12-16**  
1 x 24 Watt / 2G11

\* Consult the factory for LED lamping options.




# fuse 100

Cylindrical wall fixture with machined diffuser support cylinder. Frosted area of cylindrical diffuser provides 360 degrees of illumination. Single or double head fixtures available.



\* Available in pendant and ceiling mount. See section Pendant and Ceiling.





\* The fixture can be installed with the glass diffuser facing upwards or downwards.

**Finish**  
Satin Nickel

**Diffuser**  
Clear / Satin Glass

**Optional diffuser**  
White Opal Acrylic  
White Opal Glass

**Lamping**

**FUSE 100 - 12" - DOUBLE HEAD**  
**1571.W022CG12-12**  
2 x 18 Watt / Gx24q-2

**1571.W032CG12-12**  
2 x 26 Watt / GX24q-3

**FUSE 100 - 16" - DOUBLE HEAD**  
**1571.W172CG12-16**  
2 x 24 Watt / 2G11


\* Consult the factory for LED lamping options.



# fuse 100

## double head


Cylindrical wall fixture with machined diffuser support cylinder. Frosted area of cylindrical diffuser provides 360 degrees of illumination. Single or double head fixtures available.



\* Available in pendant and ceiling mount. See section Pendant and Ceiling.

# any

The simple design features giving the product an elegant and unique appearance. Linear wall sconce with up and down light distribution. Rectangular frame made of extruded aluminum with Clear / Satin Glass diffuser.



\* Please specify 120 or 277 Volt  
 \* Hold 3 kg (6 pounds) of weight as a shelf

**Finish**  
 Painted Anodized Aluminum

**Optional finish**  
 Painted White  
 Painted Custom Color

**Diffuser**  
 Clear / Satin Glass

**Lamping**

**ANY - 26.8"**  
**1730.W40CG19-26.8**  
 1 x 14 Watt / G5

**1730.W41CG19-26.8**  
 1 x 24 Watt HO / G5







**ANY - 38"**  
**1730.W42CG19-38**  
 1 x 21 Watt / G5

**1730.W43CG19-38**  
 1 x 39 Watt HO / G5

**ANY - 50"**  
**1730.W44CG19-50**  
 1 x 28 Watt / G5

**1730.W45CG19-50**  
 1 x 54 Watt HO / G5





\* Consult the factory for LED lamping options.



# sigma

Wall sconce with formed aluminum housing and machined end caps. Diffuser is Clear Satin Acrylic. The fixture can be arranged vertically or horizontally.



-  **Finish**  
Satin Aluminum
-  **Optional finish**  
Painted White  
Painted Custom Color
-  **Diffuser**  
Clear Satin Acrylic
-  **Optional diffuser**  
White Opal Acrylic

 **Lamping**

**SIGMA – 24”**  
**1740.W40SA17-24**  
1 x 14 Watt / G5

**1740.W41SA17-24**  
1 x 24 Watt HO / G5


**SIGMA – 36”**  
**1740.W42SA17-36**  
1 x 21 Watt / G5

**1740.W43SA17-36**  
1 x 39 Watt HO / G5

**SIGMA – 48”**  
**1740.W44SA17-48**  
1 x 28 Watt / G5

**1740.W45SA17-48**  
1 x 54 Watt HO / G5

*\* Consult the factory for LED lamping options.*





# base

## WR

The overall product design successfully creates general lighting which enhances architectural pathways. ADA-compliant. Functional, architectural and decorative detail for many applications.

\* Please specify 120 or 277 Volt

### Finish

Satin Stainless Steel



### Optional finish

Satin Nickel  
Painted Anodized Aluminum  
Painted White  
Painted Custom Color

### Diffuser

Satin White Opal Acrylic



### Optional diffuser

Clear Satin Acrylic

### Lamping

**BASE WR - 23.2"**  
**1802.W40SW10-23.2**  
1 x 14 Watt / G5

**1802.W41SW10-23.2**  
1 x 24 Watt HO / G5





**BASE WR - 35.0"**  
**1802.W42SW10-35.0**  
1 x 21 Watt / G5


**1802.W43SW10-35.0**  
1 x 39 Watt HO / G5

**BASE WR - 46.9"**  
**1802.W44SW10-46.9**  
1 x 28 Watt / G5

**1802.W45SW10-46.9**  
1 x 54 Watt HO / G5

\* Consult the factory for LED lamping options.





# wing

Wing is the perfect interior architectural wall sconce made from extruded aluminum. Wall mounted with indirect fluorescent lighting.

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Reflector**  
Painted to match the fixture – Standard

**Lamping**

**WING – 26"**  
**1820.W40NA19-26**  
1 x 14 Watt / G5

**1820.W41NA19-26**  
1 x 24 Watt HO / G5


**WING – 37"**  
**1820.W42NA19-37**  
1 x 21 Watt / G5

**1820.W43NA19-37**  
1 x 39 Watt HO / G5

**WING – 49"**  
**1820.W44NA19-49**  
1 x 28 Watt / G5

**1820.W45NA19-49**  
1 x 54 Watt HO / G5

*\* Consult the factory for LED lamping options.*



# city

The simple clean lines of the fixture are an ideal solution for interior architectural structures. Wall mounted, vertically or horizontally oriented with indirect fluorescent or LED lighting.

**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Lamping**

**CITY – 27"**  
**1825.W40NA19-27**  
1 x 14 Watt / G5

**1825.W41NA19-27**  
1 x 24 Watt HO / G5

**CITY – 39"**  
**1825.W42NA19-39**  
1 x 21 Watt / G5

**1825.W43NA19-39**  
1 x 39 Watt HO / G5


**CITY – 51"**  
**1825.W44NA19-51**  
1 x 28 Watt / G5

**1825.W45NA19-51**  
1 x 54 Watt HO / G5

**CITY – 63"**  
**1825.W46NA19-63**  
1 x 35 Watt / G5

**1825.W47NA19-63**  
1 x 80 Watt HO / G5

*\* Consult the factory for LED lamping options.*



*\* Consult the factory for other lamping, sizes, dimming and custom modifications.*



clearline

# clearline

A clean, elegant design and simple technical details are the design principles of the ClearLine profile lighting system. Streamlined and minimal, the ClearLine pendant is an elegant and refined option for direct and indirect illumination in offices or reception desks. A satin-finished acrylic lens provides soft diffused light.

ClearLine pendant mounts via aircraft cable. Cable grippers used allow one to adjust mounting height without tools. Special optics of the acrylic lens limits light distribution in order to reduce glare. ClearLine is a flexible system that easily adapts itself to different types of situations and architectural spaces.

\* Consult the factory for other lamping, sizes, dimming and custom modifications.

**Finish**  
Clear Anodized Aluminum

**Optional finish**  
Painted White  
Painted Custom Color

**Diffuser**  
Clear Satin Acrylic

**Optional difuser – Please consult the factory**  
Satin White Opal Acrylic



Series	
CL2P	Pendant
CL2W	Wall
CL2S	Surface

* Fixture Length	* Lamping	* Diffuser	* Suspension / Mounting	* Voltage
3 36"	00 None	00 None	SM Surface Mounted	1 120 Volts
4 48"	40 1 x 14 Watt / G5	SA Clear Satin Acrylic	C Cable Suspension	2 277 Volts
6 72"	402 2 x 14 Watt / G5	SW Satin White Opal Acrylic	S Stem Suspension	U 120/277 Volts
8 96"	41 1 x 24 Watt HO / G5	CX Extruder Aluminum Cover	WS Wall Small Bracket	
9 108"	412 2 x 24 Watt HO / G5			
10 120"	42 1 x 21 Watt / G5	* Reflector	* Cable Support / Power Feed	* Circuit
12 144"	422 2 x 21 Watt / G5	AR Asymmetric Reflector	01 Option: WS-1	1 Single
	423 3 x 21 Watt / G5	SR Symmetric Reflector	02 Option: WS-2	2 Dual
	424 4 x 21 Watt / G5			3 Triple
	43 1 x 39 Watt HO / G5	* Accent Downlight	* Cable Support	D Dimming
	432 2 x 39 Watt HO / G5	00 NONE	03 Option: S-1	2D Dual Dimming
	433 3 x 39 Watt HO / G5	80 1 x 50 Watt MR16 / GU5.3 <i>*Please specify spacing and location</i>	04 Option: S-2	EM Emergency Ballast
	434 4 x 39 Watt HO / G5	91 1 x 39 Watt MR16, MH / GX10 <i>*Please Specify spacing and location</i>		
	44 1 x 28 Watt / G5	MS Monopoint Steng Socket <i>*Please specify spacing and location</i>		* Finish
	442 2 x 28 Watt / G5			16 Clear Anodized Aluminum
	443 3 x 28 Watt / G5			21 Painted White
	444 4 x 28 Watt / G5			22 Painted Custom Color
	446 6 x 28 Watt / G5			
	448 8 x 28 Watt / G5			
	45 1 x 54 Watt HO / G5			
	452 2 x 54 Watt HO / G5			
	453 3 x 54 Watt HO / G5			
	454 4 x 54 Watt HO / G5			
	456 6 x 54 Watt HO / G5			
	458 8 x 54 Watt HO / G5			

\* Consult the factory for LED lamping options

\* Consult the factory for LED lamping options


Series	Fixture Length	Uplight Lamping	Uplight Diffuser	Uplight Reflector	Downlight Lamping	Downlight Diffuser	Downlight Reflector	Accent Downlight	Suspension/ Mounting	Cable Support / Power Feed	Cable Support	Voltage	Circuit	Finish



# clearline CEILING

The ClearLine ceiling is an elegant and refined option for direct illumination in offices or hallways.

\* Please consult the factory for linear row mounting configurations.






# clearline


## PENDANT

The ClearLine pendant is an elegant and refined option for direct and indirect illumination in offices or reception desks. Adjustable accent downlights are provided with independent aiming mechanism. ClearLine pendant mounts via aircraft cable. The mounting height is adjusted without tools.




\* Please consult the factory for linear row mounting configurations.







STANDARD SUPPORT CABLE/FEED  
OPTION: WS-1



SUPPORT CABLE, OPTION: S-1



OPTIONAL SUPPORT CABLE/FEED  
OPTION: WS-2



SUPPORT CABLE, OPTION: S-2




**CEILING PLATE AVAILABLE IN:**

- CLEAR ANODIZED ALUMINIUM - TO MATCH FIXTURE - STANDARD
- CUSTOM COLOR - SELECT FROM STANDARDS

**NOTE:**



- \* CABLE COUPLINGS ARE AVAILABLE IN NICKEL FINISH ONLY
- \* SUPPORT CABLE AND POWER CORD 50" LONG - STANDARD



# clearline

## WALL SCONCE

The ClearLine wall sconce is an elegant and refined option for direct and indirect illumination in offices or hallways.




# custom clearline


## RING

Clearline "Ring" is the pendant fixture with uplight and downlight lighting component with various sizes, lamping and mounting options. ClearLine pendant mounts via aircraft cable. The mounting height is adjusted without tools.


\* Consult the factory for other lamping, sizes, dimming and custom modifications.



Reflected Plan



Elevation



Side View





# custom clearline

## FLIGHT



Flight is the pendant fixture with up and down lighting component with various configurations and mounting options. Extruded aluminum housing and acrylic diffuser. Halogen or metal halide accent components are optional.



outdoor

# vertigo

Fluorescent pole, suitable for wet locations. Extruded aluminum housing and acrylic diffuser. The fluorescent fixture emits 360 degrees of symmetrical light.

- \* Wet Location
- \* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Diffuser**  
White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic  
White Opal Glass


**Lamping**

**VERTIGO - 23.5"**  
**1970.F17WA16-23.5**  
1 x 24 Watt / 2G11

**VERTIGO - 39.5"**  
**1970.F19WA16-39.5**  
1 x 36 Watt / 2G11

**VERTIGO - 63.5"**  
**1970.F19WA16-63.5**  
1 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.





# vertigo SS

Vertigo SS is a range of bollards for path lighting in urban areas requiring general lighting suitable for wet locations. Stainless Steel construction and acrylic diffuser. Fixture emits 360 degrees of symmetrical light.



\* Wet Location

**Finish**  
Satin Stainless Steel

**Optional finish**  
Painted Anodized Aluminum  
Painted Custom Color

**Diffuser**  
White Opal Acrylic



**Optional diffuser**  
Clear Satin Acrylic  
White Opal Glass

**Lamping**

**VERTIGO SS - 53"**  
**1971.F40WA10-53**  
1 x 14 Watt / G5

**1971.F41WA10-53**  
1 x 24 Watt HO / G5

\* Consult the factory for LED lamping options.





# slight

Slight combines elegant and a straightforward design with lighting technology. Fluorescent wall mounted fixture suitable for wet locations. Solid aluminum construction and machined end caps.

- \* Wet Location
- \* Please specify 120 or 277 Volt

**Finish**  
Satin Aluminum

**Optional finish**  
Painted Anodized Aluminum  
Painted Custom Color

**Diffuser**  
White Opal Acrylic

**Optional diffuser**  
Clear Satin Acrylic

**Lamping**


**SLIGHT - 20"**  
**1900.W19WA17-20**  
1 x 36 Watt / 2G11

**SLIGHT - 26"**  
**1900.W20WA17-26**  
1 x 40 Watt / 2G11

**1900.W21WA17-26**  
1 x 50 Watt / 2G11


**1900.W22WA17-26**  
1 x 55 Watt / 2G11

\* Consult the factory for LED lamping options.



# due

The hand-blown Triplex White Opal Glass diffuser and extruded clear anodized aluminum housing. Fluorescent wall mounted fixture suitable for wet locations.



- \* Wet Location
- \* Please specify 120 or 277 Volt

**Finish**  
Clear Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Diffuser**  
White Opal Glass


**Optional diffuser**  
Clear Satin Acrylic  
White Opal Acrylic

**Lamping**

**DUE - 20"**  
**1940.W17WG16-20**  
1 x 24 Watt / 2G11

**DUE - 30"**  
**1940.W19WG16-30**  
1 x 36 Watt / 2G11

\* Consult the factory for LED lamping options.





\* Wet Location  
 \* Please specify 120 or 277 Volt

**Finish**  
 Satin Aluminum

**Optional finish**  
 Painted Anodized Aluminum  
 Painted Custom Color

**Diffuser**  
 White Opal Acrylic

**Optional diffuser**  
 Clear Satin Acrylic

**Lamping**


**LUNA - 16"**  
**1950.W33WA17-16**  
 1 x 22 Watt / 2GX13

**1950.W36WA17-16**  
 1 x 22 + 40 Watt / 2GX13

**1950.W34WA17-16**  
 1 x 40 Watt / 2GX13

**1950.W35WA17-16**  
 1 x 55 Watt / 2GX13

\* Consult the factory for LED lamping options.



# luna

Ideal illumination for architectural entrances or building facades. ADA-compliant well suited for exterior wall applications. Durable, fully gasketed fixture suitable for wet, damp or dry locations.

custom  
works

# pagoda

Clean design of the body diffuser with extruded corner rails. Suspended via (4) field adjustable stainless steel cables. Suitable for lobby, hallway and conference rooms.



**Finish**  
Painted Anodized Aluminum

**Optional finish**  
Painted Custom Color

**Diffuser**  
Clear Satin Acrylic

**Optional diffuser**  
Satin White Opal Acrylic

**Lamping**

**PAGODA - 19.5"x17.7"**  
**1420.P17SA19-19.5x17.7**  
1 x 24 Watt / 2G11

**1420.P04SA19-19.5x17.7**  
1 x 32 Watt / GX24q-3

**PAGODA - 11.8"x17.7"**  
**1420.P17SA19-11.8x17.7**  
1 x 24 Watt / 2G11

**1420.P04SA19-11.8x17.7**  
1 x 32 Watt / GX24q-3





**PAGODA - 23.5"x22.6"**  
**1420.P19SA19-23.5x22.6**  
1 x 36 Watt / 2G11

**1420.P05SA19-23.5x22.6**  
1 x 42 Watt / GX24q-4

**PAGODA - 15.8"x22.6"**  
**1420.P19SA19-15.8x22.6**  
1 x 36 Watt / 2G11




**1420.P05SA19-15.8x22.6**  
1 x 42 Watt / GX24q-4

*\* Consult the factory for LED lamping options.*




# rings

Sculptural, stylish, elegant lighting solution and simple technical details are the design principles of the Rings lighting system. Perfect solution for large spaces.



# rings

Sculptural, stylish, elegant lighting solution and simple technical details are the design principles of the Rings lighting system. Perfect solution for large spaces.









**On the left:**  
Brasserie Beck,  
Washington DC


**On the right:**  
Niagara Fallsview Casino  
Niagara Falls, Ontario





**On the left:**  
Windsor Racetrack Casino  
Windsor, Ontario


**On the right:**  
OLG Casino Thunder Bay  
Thunder Bay, Ontario





**On the left:**  
St. Coletta School,  
Washington DC

**On the right:**  
University of Ontario, Durham College  
Oshawa, Ontario





**On the left:**  
St. Gabriel's Passionist Parish,  
Toronto, Ontario

**On the right:**  
St. Gabriel's Passionist Parish,  
Toronto, Ontario



**On the left:**  
Public House Restaurant,  
New York, New York

**On the right:**  
Office Building,  
Washington DC




Dulles International Airport,  
Washington DC






**On the left:**  
Jarrettsville Library  
Jarrettsville, Maryland

**On the right:**  
Roger's Auditorium,  
Toronto, Ontario





Bethesda Metro Center  
Bethesda, Maryland






Aspers Casino Westfield Stratford City  
London, UK





Aspers Casino Westfield Stratford City  
London, UK





Restaurant Prestige  
Mostar, BiH



